

From: [Poentis, Kris T](#)
To: [Dan Connally](#)
Cc: [Lum, Darryl C](#)
Subject: FW: Kailua RWWTP draft NPDES Permit - nutrient exceedences at the ZOM
Date: Wednesday, July 17, 2013 4:24:53 PM

Hi Dan,

Sorry to bother you, but please forward me the ZOM worksheet you used for Kailua.

Thanks!

Kris

From: Jaramilla, Cleveland [mailto:cjaramilla@honolulu.gov]
Sent: Wednesday, July 17, 2013 8:56 AM
To: Poentis, Kris T; Lum, Darryl C
Cc: Wienand, Bryan; Xu-Sadri, He
Subject: Kailua RWWTP draft NPDES Permit - nutrient exceedences at the ZOM

Hi Kris and Darryl,

Pages 18 and 19 of the Kailua draft Fact sheet indicate several exceedences of the Hawaii water quality standards for ammonia, nitrite + nitrite and total phosphorus at the ZOM. Can you provide us with the Excel sheet with the data inputted used to derive these conclusions?

Thx.

CJ

P.S. I approach the permit writer directly but he reminded me that I should go to DOH first.

CJ Jaramilla, P.E.
City and County of Honolulu
Department of Environmental Services
Division of Environmental Quality
Monitoring and Compliance Branch
1000 Uluohia St.
Kapolei, HI 96707
(808) 768-3253
(808) 368-3964 (cell)
(808) 768-1550 (fax)
cjaramilla@honolulu.gov
<http://envhonolulu.org/>

Please consider the environment before printing this e-mail